

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S36	14	xsl with template same java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 09:14
S35	3	xsl with template with java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 09:14
S34	261	xsl with template	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 09:14
S32	2	dtd with api and xsl with template	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 09:14
S33	30	dtd with api	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 08:43
S31	30	dtd with api	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/28 08:39



US Patent & Trademark Office

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

dtd api template class

SEARCH

THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used dtd api template class

Found 7,747 of 148,162

Sort results
by

relevance



2 Save results to a Binder

Try an Advanced Search

Try this search in The ACM Guide

Display results

expanded form



Search Tips

☐ Open results in a new window

Results 1 - 20 of 200

Result page: **1** 2 3 4 5 6 7 8 9 10 next

Best 200 shown

Relevance scale

1 Extending Java for high-level Web service construction

Aske Simon Christensen, Anders Møller, Michael I. Schwartzbach

November 2003 **ACM Transactions on Programming Languages and Systems (TOPLAS)**,
Volume 25 Issue 6

Full text available: pdf(947.02 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citings](#), [index terms](#)

We incorporate innovations from the <bigwig> project into the Java language to provide high-level features for Web service programming. The resulting language, JWIG, contains an advanced session model and a flexible mechanism for dynamic construction of XML documents, in particular XHTML. To support program development we provide a suite of program analyses that at compile time verify for a given program that no runtime errors can occur while building documents or receiving form input, and ...

Keywords: Interactive Web services, XML, data-flow analysis

2 DDD papers: Domain driven web development with WebJinn

Sergei Kojarski, David H. Lorenz

October 2003 **Companion of the 18th annual ACM SIGPLAN conference on Object-oriented programming, systems, languages, and applications**

Full text available: pdf(266.32 KB)

Additional Information: full citation, abstract, references, index terms

Web application development cuts across the HTTP protocol, the client-side presentation language (HTML, XML), the server-side technology (Servlets, JSP, ASP, PHP), and the underlying resource (files, database, information system). Consequently, web development concerns including functionality, presentation, control, and structure cross-cut, leading to tangled and scattered code that is hard to develop, maintain, and reuse. In this paper we analyze the cause, consequence, and remedy for this cross-cut.

Keywords: JSP, adaptability, aspect-oriented programming (AOP), crosscutting concerns, dynamic pages, generative programming, inter-crosscutting, intra-crosscutting, model-view-controller (MVC), reusability, scattering, struts, tangling, web application, web development, web programming

3 A template-based approach to XML parsing in C++

John Dubchak

June 2003 **Linux Journal**, Volume 2003 Issue 110

Full text available:  [html\(13.51 KB\)](#)

Additional Information: full citation, abstract, index terms

Add XML support to your project with the Apache Software Foundation's Xerces parser and some C++ code.



US Patent & Trademark Office

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

dtd api

SEARCH

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used **dtd api**Found **3,099** of **148,162**

Sort results by

relevance

[Save results to a Binder](#)[Try an Advanced Search](#)[Try this search in The ACM Guide](#)

Display results

expanded form

[Search Tips](#)☐ Open results in a new window

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐**1** [Application of XML tools for enterprise-wide RBAC implementation tasks](#)

Ramaswamy Chandramouli

July 2000 **Proceedings of the fifth ACM workshop on Role-based access control**

Full text available: pdf(66.85 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The use of Extensible Markup Language (XML) and its associated APIs, for information modeling and information interchange applications is being actively explored by the research community. In this paper we develop an XML Document Type Definition (DTD) for representing the schema of a Role-based Access Control (RBAC) Model and a conforming XML document containing the actual RBAC-based access control data for a commercial banking application. Based on this DTD, the XML document and the methods ...

2 [Web-based tools, systems and environments: An approach to lightweight deployment of web services](#)

J. Gergic, J. Kleindienst, Y. Despotopoulos, J. Soldatos, G. Patikis, A. Anagnostou, L. Polymenakos

July 2002 **Proceedings of the 14th international conference on Software engineering and knowledge engineering**

Full text available: pdf(296.74 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Web Services is gradually becoming the most popular distributed computing paradigm for the Internet. Although several vendor and research efforts are in progress, fully-fledged deployment of Web Services in a wide scale has not been accomplished yet. The present contribution describes a framework for lightweight deployment of Web Services. This framework can be seen as a contribution to a smooth transition step towards a complete large-scale deployment. The paper starts with a description of dat ...

Keywords: CATCH-2004, EIRI, HTTP, SOAP, UDDI, WSDL, XML, web services**3** [P8: DITA XML: a reuse by reference architecture for technical documentation](#)

Michael Priestley

October 2001 **Proceedings of the 19th annual international conference on Computer documentation**

Full text available: pdf(192.61 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The Darwin Information Typing Architecture is an XML architecture for producing and reusing technical information. DITA promises the following:

- Scalable reuse, so you can reuse content in any number of delivery contexts simultaneously without complicating the source

Web Images Groups^{New!} News Froogle more »

dave orchard

Search

[Advanced Search](#)
[Preferences](#)**Web**Results 1 - 10 of about **85,000** for **dave orchard**. (0.20 seconds)**Dave Orchard's Blog****Dave Orchard's Blog. ...**www.pacificspirit.com/blog/ - 13k - Dec 26, 2004 - [Cached](#) - [Similar pages](#)**Dave's Home Page**... **Dave's** little rest stop on the side of the 'bahn. Going through quite the update phase right now. ... You can reach me at **orchard** at pacificspirit dot com. Work. ...www.pacificspirit.com/ - 6k - Dec 26, 2004 - [Cached](#) - [Similar pages](#)[[More results from www.pacificspirit.com](#)]**Dave Orchard Weblog - WebServices.Org****Dave Orchard.** ... This article is reprinted from **Dave Orchard's** blog entry found at <http://www.pacificspirit.com>. Version identifiers: not quite what you think. ...www.webservices.org/index.php/ws/content/view/full/4941 - 93k - [Cached](#) - [Similar pages](#)**Web services Needs Transfer Protocols AND Specific Protocols Dave ...****Dave Orchard. Dave Orchard.** Wednesday 06 October 2004. ... This article is reprinted from **Dave Orchard's** blog entry found at <http://www.pacificspirit.com>. ...www.webservices.org/index.php/ws/content/view/full/44336 - 48k - [Cached](#) - [Similar pages](#)[[More results from www.webservices.org](#)]**Responding to Dave Orchard's Take on MDA (Stefan Tilkov's Random ...**... March 18, 2004. Responding to **Dave Orchard's** Take on MDA. ... **Dave Orchard** had some thoughts about MDA, and I commented on his blog entry very briefly. ...www.innoq.com/blog/st/archives/000695.html - 19k - [Cached](#) - [Similar pages](#)**Dave Orchard Blog (Stefan Tilkov's Random Stuff)**... December 23, 2003. **Dave Orchard Blog.** ... BEA's **Dave Orchard** has a blog, and has written a very interesting article about XML versioning. ...www.innoq.com/blog/st/archives/000482.html - 11k - [Cached](#) - [Similar pages](#)[[More results from www.innoq.com](#)]**Dave Orchard (SYS-CON Author)**SYS-CON Author **Dave Orchard.** Bio David **Orchard** is a technical director in BEA Systems' CTO Office, focusing on Web services standards. ...sys-con.com/author/?id=2202 - 32k - [Cached](#) - [Similar pages](#)**Dave Orchard's Blog - Powered By Bloglines**... December 17, 2004. QName URN Namespace. By **orchard**. ... Link. Posted on: Fri, Dec 17 2004 11:19 PM. More on XML 1.1 version identification. By **orchard**. ...www.bloglines.com/blog/sanjiva?subid=2217381 - 29k - [Cached](#) - [Similar pages](#)**Dave Orchard's Blog - Powered By Bloglines**... December 22, 2004. Chambar (Belgian) Restaurant visited. By **orchard**. ... December 21, 2004. Forwards Compatibility: the black sheep of compatibility. By **orchard**. ...www.bloglines.com/blog/gdaniels?subid=3247009 - 29k - [Cached](#) - [Similar pages](#)[[More results from www.bloglines.com](#)]**Chris's Rants: Dave Orchard's Blog: Elements and Wildcards as ...**... **Dave Orchard's** Blog: Elements and Wildcards as siblings. **Dave Orchard** writes more about versioning in his blog: Elements and Wildcards as siblings. ...webpages.charter.net/chrisfer/2004/01/dave-orchards-blog-elements-and.html - 17k - [Cached](#) - [Similar pages](#)

Web Images Groups^{New!} News Froogle more »

xsl template java

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about **44,800** for **xsl template java**. (0.20 seconds)**XSL design tool; XSL template designer**

... Antenna House **XSL Template Designer** V1.2 is two software products in one. ...
A **Java** Runtime Engine that transforms XML data and works with **XSL** ...
www.antennahouse.com/product/designer/ - 15k - [Cached](#) - [Similar pages](#)

Sponsored Links

xsl:template Syntax Help

Visually Edit, Debug & Map XSLT
Free 30-day Trial, Download Now!
www.stylusstudio.com

[xsl] XPath BUG in Saxon 6.5.2 and XalanJ 2.3?

... /root/data)"/> </xsl:template> </xsl:stylesheet> I get: java.lang. ...
XSLTemplate.start(XSLTemplate.java:198) at com.icl.saxon.Controller. ...
www.biglist.com/lists/xsl-list/archives/200301/msg00079.html - 6k -
[Cached](#) - [Similar pages](#)

[See your message here...](#)**RE: [xsl] XPath BUG in Saxon 6.5.2 and XalanJ 2.3?**

... /root/data)"/> </xsl:template> </xsl:stylesheet> > > I get: > > java.lang. ...
XSLTemplate.expand(XSLTemplate.java:225) > at com.icl.saxon.style. ...
www.biglist.com/lists/xsl-list/archives/200301/msg00091.html - 8k - [Cached](#) - [Similar pages](#)

Java News Brief::OCI::April Issue

... This article describes how a developer can use **XSL Templates** to generate **Java** ...
translation and the file containing the **Java** source and **XSL templates**. ...
www.ociweb.com/jnb/archive/jnbApr2001.html - 20k - [Cached](#) - [Similar pages](#)

The Quintessential Program That Transforms an XML File with XSL ...

... Transforms an XML File with **XSL**. import java.io.*; import org.w3c.dom. ... to create a
template containing the xsl file **Templates template** = factory. ...
javaalmanac.com/egs/javax.xml.transform/BasicXsl.html - 8k - [Cached](#) - [Similar pages](#)

How XSL and XML Help in Java's Conditional Compilation

... the help of help of an **XSL** processor, transform them into compiled **Java** applications. ...
7: <xsl:apply-templates /> 8: </xsl:template> 9: <xsl:template ...
www.developer.com/java/other/article.php/3293431 - 69k - [Cached](#) - [Similar pages](#)

Oracle Technology Network: Forums

... processChildren(XSLNode.java:369) at oracle.xml.parser.v2.XSLTemplate.
processAction(XSLTemplate.java:200) My small code is of **XSL** is: ...
forums.oracle.com/forums/thread.jsp?forum=158&thread=277501&message=848152 - 37k
- [Cached](#) - [Similar pages](#)

Oracle Technology Network: Forums

... at oracle.xml.parser.v2.XSLTemplate.processAction(XSLTemplate.java:200) ...
</patientKey> </xsl:template> </xsl:stylesheet> My small code of **java** is : ...
forums.oracle.com/forums/thread.jsp?forum=151&thread=277509&tstart=0&trange=15 -
39k - [Cached](#) - [Similar pages](#)

Programmatically Apply XSLT in a Dynamic Java Application

This 10-Minute Solution introduces XSLT and explores the **Java** API for XML ... One or
more **XSL templates** (indicated by the <xsl:template> tag) live between ...
www.devx.com/getHelpOn/10MinuteSolution/16635/1763/page/2 - 13k -
[Cached](#) - [Similar pages](#)

CVS log for java/classes/org/w3c/xsl/Template.java

CVS log for **java/classes/org/w3c/xsl/Template.java**. [BACK] Up to [Public] / **java** /
classes / org / w3c / xsl. Request diff between arbitrary revisions ...
dev.w3.org/cvsweb/java/classes/org/w3c/xsl/Template.java - 4k - Dec 26, 2004 -
[Cached](#) - [Similar pages](#)


[Web](#) [Images](#) [Groups^{New!}](#) [News](#) [Froogle](#) [more »](#)

xsl template

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 310,000 for **xsl template**. (0.78 seconds)The <xsl:template> Element

... The <xsl:template> element contains rules to apply when a specified node is ... <xsl:template name="name" match="pattern" mode="mode" priority="number"> ...
www.w3schools.com/xsl/el_template.asp - 21k - Dec 27, 2004 -
[Cached](#) - [Similar pages](#)

Sponsored Links

[xsl:template Syntax Help](#)
XSL Editor - Syntax Help & Preview
 Easy-to-use, Download a Free Trial.
www.altova.com

The <xsl:template> Element

... The <xsl:template> element contains rules to apply when a specified node is matched.
 ... The <xsl:template> tag defines the start of a **template**. ...
www.w3schools.com/xsl/xsl_templates.asp - 21k - Dec 26, 2004 - [Cached](#) - [Similar pages](#)
[\[More results from www.w3schools.com \]](#)

[See your message here...](#)XSL design tool; XSL template designer

... All with Antenna House's new Windows **XSL Template Designer!** ... Antenna House **XSL Template Designer V1.2** is two software products in one. ...
www.antennahouse.com/product/designer/ - 15k - [Cached](#) - [Similar pages](#)

XSLT 1.0: element template

... A **template** rule is specified with the **xsl:template** element. ... The match attribute is required unless the **xsl:template** element has a name attribute }). ...
[www.zvon.org/xxl/XSLTreference/ Output/xslt_template.html](http://www.zvon.org/xxl/XSLTreference/Output/xslt_template.html) - 19k - Dec 26, 2004 -
[Cached](#) - [Similar pages](#)

xsl:template

... A **template** rule is specified with the **xsl:template** element. ... The match attribute is required unless the **xsl:template** element has a name attribute. ...
[www.zvon.org/HTMLonly/XSLTutorial/ Definitions/xsl_template.html](http://www.zvon.org/HTMLonly/XSLTutorial/Definitions/xsl_template.html) - 2k -
[Cached](#) - [Similar pages](#)

DevGuru XSLT element xsl:template

... The **xsl:template** element is used to define a **template** that can be applied ... element to invoke the **template** rule defined by the **xsl:template** element. ...
[www.devguru.com/Technologies/ xslt/quickref/xslt_element_template.html](http://www.devguru.com/Technologies/xslt/quickref/xslt_element_template.html) - 25k -
[Cached](#) - [Similar pages](#)

DevGuru XSLT element xsl:apply-templates

... If an **xsl:apply-templates** element has a mode attribute, then it can only apply **template** rules from **xsl:template** elements that also have a mode attribute ...
[www.devguru.com/Technologies/ xslt/quickref/xslt_element_applytemplates.html](http://www.devguru.com/Technologies/xslt/quickref/xslt_element_applytemplates.html) - 23k -
[Cached](#) - [Similar pages](#)
[\[More results from www.devguru.com \]](#)

XSL Transformations (XSLT)

... A **template** rule is specified with the **xsl:template** element. ... The content of the **xsl:template** element is the **template** that is instantiated when the ...
www.w3.org/TR/xslt - 263k - [Cached](#) - [Similar pages](#)

TopXML : XSLT Reference - Element xsl:template

... This is page 34 of 87: The XSLT Element: **xsl:template**. XSLT Contents, The XSLT Element: **xsl:stylesheet**. Table Of Contents. The XSLT Element: **xsl:text** ...
www.vbxml.com/xsl/elmxml_template.asp - 36k - Dec 26, 2004 - [Cached](#) - [Similar pages](#)

XML.com: Template Languages in XSLT


[Web](#) [Images](#) [Groups](#)^{New!} [News](#) [Froogle](#) [more »](#)

dtd api

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about **72,200** for **dtd api**. (0.22 seconds)**bond-2.0 DTD: API element**

API. Content. loadby; sql; widget. ATTRIBUTES CONTENT DECLARATION ... Parent Elements. trigger. Top Elements All Elements. bond-2.0 **DTD**.

bond.treshna.com/dtddoc/api.html - 2k - [Cached](#) - [Similar pages](#)

Documentation: the xmlproc DTD APIs

... The complete **DTD** information is only available from the validating parser,
 ... conforming to the **DTD** interface, containing information about the **DTD**. ...

www.garshol.priv.no/download/ software/xmlproc/**dtd-api**-doco.html - 10k - [Cached](#) - [Similar pages](#)

[XML-SIG] xmlproc DTD api bug

[XML-SIG] xmlproc **DTD api** bug. Alexandre Fayolle Alexandre.Fayolle@logilab.fr Tue, 24 Oct 2000 17:54:00 +0200 (CEST). Previous message: [XML-SIG] Re: How to ...

mail.python.org/pipermail/ xml-sig/2000-October/003632.html - 3k - [Cached](#) - [Similar pages](#)

[XML-SIG] xmlproc DTD api bug

[XML-SIG] xmlproc **DTD api** bug. Lars Marius Garshol larsga@garshol.priv.no 24 Oct 2000 18:26:28 +0200. Previous message: [XML-SIG] xmlproc **DTD api** bug ...

mail.python.org/pipermail/ xml-sig/2000-October/003633.html - 4k - [Cached](#) - [Similar pages](#)

Balise 4.0 Overview

... set of functions for accessing and manipulating SGML **DTD** information (**DTD API**).

... In particular, **DTD API** gives access to the details of entity and/or ...

xml.coverpages.org/balise40descr.html - 11k - [Cached](#) - [Similar pages](#)

DTD Inquisitor 2

... About **DTD** Inquisitor; Downloads; Installation; Getting Started; **API** ...

Hope the software helps you to understand your **DTD**. **API** Documentation [top] ...

db.cis.upenn.edu/~kkchoi/DTD12/main.html - 11k - [Cached](#) - [Similar pages](#)

Reference Overview

... ECHO **API** and **DTD** Documents. ECHO 5.5 **API** and **DTD** Documents. A catalog of services and data types for ECHO 5.5 (**API**). **DTD** descriptions are available in ...

www.echo.eos.nasa.gov/reference/reference_**dtd**.shtml - 28k - Dec 26, 2004 - [Cached](#) - [Similar pages](#)

XML.com: AIS enters 'up-conversion' market

... XML support, a **DTD API**, new SGML management features, persistent maps for ...

The **DTD API** is a set of functions that gives access to one or more DTDs in ...

www.xml.com/pub/a/SeyboldReport/ip020520.html - 27k - [Cached](#) - [Similar pages](#)

org.dom4j.dtd Class Hierarchy (dom4j 1.5.2 API)

... Hierarchy For Package org.dom4j.dtd. Package Hierarchies:: All Packages ...

ExternalEntityDecl; class org.dom4j.dtd.InternalEntityDecl ...

www.dom4j.org/apidocs/org/dom4j/**dtd**/package-tree.html - 7k - [Cached](#) - [Similar pages](#)

DocType (JDOM API)

... DocType with the specified element name and reference to an external **DTD**. ...

publicID - String public ID of referenced **DTD**: systemID - String system ID ...

docs.pushtotest.com/jdomdocs/org/jdom/DocType.html - 30k - Dec 26, 2004 - [Cached](#) - [Similar pages](#)